			04
	Application No.	Applicant(s)	<u> </u>
Notice of Allowability	10/088,936 Examiner	CASTELLACCI, Pil	ETRO
	Charles A. Marmor, II	3736	
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap) or other appropriate communication IGHTS. This application is subject to	plication. If not includ will be mailed in due	led course. THIS
1. $igotimes$ This communication is responsive to <u>the Amendment filed</u>	27 May 2004 and the telephonic inte	erview of 09 July 200	<u>4</u> .
2. X The allowed claim(s) is/are <u>1-8 and 10-12 (renumbered cl</u>	<u>aims 1-11)</u> .		
3. $igotimes$ The drawings filed on <u>21 March 2002</u> are accepted by the	Examiner.		
4. Acknowledgment is made of a claim for foreign priority unall All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which giv 6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner' Paper No./Mail Date Identifying Indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the deposit of the priority documents and the priorit	e been received. e been received in Application No cuments have been received in this of this communication to file a reply //ENT of this application. nitted. Note the attached EXAMINER es reason(s) why the oath or declara st be submitted. son's Patent Drawing Review (PTO- //s Amendment / Comment or in the Comment or in the Comment of the drawing the header according to 37 CFR 1.121(complying with the restriction is deficient. 948) attached Office action of the foot (not the d). must be submitted.	equirements NOTICE OF
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	5. ☐ Notice of Informal F 6. ☑ Interview Summary Paper No./Mail Da 7. ☑ Examiner's Amenda	(PTO-413), te <u>07092004</u> .	O-152)
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Statements 9. □ Other	Charles A. Marmo Primary Examiner Art Unit: 3736	or, II

Application/Control Number: 10/088,936 Page 2

Art Unit: 3736

EXAMINER'S AMENDMENT

1. This Examiner's Amendment is responsive to the Amendment filed May 27, 2004. The Examiner acknowledges the Substitute Specification, the cancellation of claim 9, and the amendments to claims 1-8 and 10-12. Claims 1-11 are pending.

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John James McGlew on July 7, 2004.

3. The application has been amended as follows:

IN THE SUBSTITUTE SPECIFICATION:

- a. On page 3, line 17, "step-Pike" has been changed to --step-like--.
- b. On page 4, line 17, --extension-- has been inserted following "tab".
- c. On page 6, line 7, "cannula 5 1" has been changed to --cannula 1--.
- d. On page 6, line 13, "16" has been changed to --1B--.
- e. On page 6, line 17, "arid" has been changed to --and--.
- f. On page 7, line 4, "infernal" has been changed to --internal--.
- g. On page 7, line 21, "i B" has been changed to --1B--.

Application/Control Number: 10/088,936

Art Unit: 3736

- h. On page 8, line 17, "113" has been changed to --1B--.
- i. On page 9, line 2, "5D" has been changed to --105D--.
- j. On page 11, line 10, "10" has been deleted.
- k. On page 12, line 7, "the said tubular" has been changed to --the tubular--.

IN THE CLAIMS:

- a. In claim 1, line 8, "in that" has been changed to --wherein--.
- b. In claim 2, line 2, "tab-like" has been deleted.
- c. In claim 7, line 4, "it" has been changed to --the specimen--.
- d. In claim 8, line 4, "in that" has been changed to --wherein--.
- e. In claim 12, line 4, "it" has been changed to --the specimen--.

4. The following is an examiner's statement of reasons for allowance:

No prior art of record teach or fairly suggest a biopsy needle, as claimed by Applicant, including an outer cannula having a distal portion with a thickness greater than the thickness of a portion immediately proximal thereto such that the two portions together form a step in an interior wall of the cannula along a plane that is inclined with respect to the longitudinal axis of the cannula; a closing stem within the lumen of the outer cannula; and a withholding element provided with a distal tab-like extension, where the withholding element is disposed between the outer cannula and the closing stem so that the withholding element slides axially therebetween.

Application/Control Number: 10/088,936

Art Unit: 3736

Page 4

Any comments considered necessary by applicant must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

5. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Charles A. Marmor, II whose telephone number is

(703) 305-3521. The examiner can normally be reached on M-TH (7:00-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Mary Beth Jones can be reached on (703) 308-3400. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Charles A. Marmor, II Primary Examiner

Art Unit 3736

cam

July 7, 2004